# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 7:	4.4	(11) International Publication Number:	WO 00/21493
A61K 7/06	A1	(43) International Publication Date:	20 April 2000 (20.04.00)
(21) International Application Number: PCT/EP9 (22) International Filing Date: 27 September 1999 (2)		Colworth House, Shambrook, E	Unilever PLC, Patent Dept., Sedford, Bedfordshire MK44
<ul> <li>(30) Priority Data: 9822419.9 14 October 1998 (14.10.98)</li> <li>(71) Applicant (for AE AU BB CA CY GB GD GH GM IE IL LK LS MN MW NZ SD SG SL SZ TT TZ UG ZA ZI UNILEVER PLC [GB/GB]; Unilever House, Bla London EC4P 4BQ (GB).</li> <li>(71) Applicant (for all designated States except AE AU BB GB GD GH GM IE IL IN KE LC LK LS MN MW SG Sl. SZ TT TZ UG ZA ZW): UNILEVER N.V. [I Weena 455, NL-3013 AL Rotterdam (NL).</li> <li>(71) Applicant (for IN only): HINDUSTAN LEVER LI [IN/IN]; Hindustan Lever House, 165/166 Backbay mation, Mumbai 400 020, Maharashtra (IN).</li> <li>(72) Inventor: PRATLEY, Stuart, Keith; Unilever Resear Sunlight, Quarry Road East, Bebington, Wirral, MercH63 3JW (GB).</li> </ul>	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  Published  With international search report.		

(54) Title: HAIR STYLING COMPOSITION

#### (57) Abstract

The invention provides hair styling compositions comprising: (i) from 0.1% to 10% by weight, based on total weight, of a non-rigid emulsion polymerised cross-linked silicone polymer, in which the percentage of branched monomer units in the silicone polymer is from 0.05% to 10%; (ii) from 0.1% to 10% by weight, based on total weight, of a hair styling polymer, (iii) from 0.01% to 5% by weight, based on total weight, of a noninnic surfactant having an HLB value of at least 14.5; (iv) water, and (v) from 0% to 30% by weight, based on total weight, of an aerosol propellant. The compositions are typically in the form of an aerosol hair styling mousse or a hair styling cream or gel and provide excellent style creation as well as sensory feel.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

				LS	Lesotho	SI	Slovenia
AL	Albania	ES	Spain		Lithuania	SK	Slovakia
AM	Armenia	Fl	Finland	LT		SN	Senegal
AT	Austria	FR	France	LU	Luxembourg	SZ	Swaziland
ΑÜ	Australia	GA	Gabon	LV	Latvia	TD	Chad
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco		
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ.	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
		HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BG	Bulgaria	IE	Ireland	MN	Mongolia	UA	Ukraine
BJ	Benin	IL.	Israel	MR	Mauritania	UG	Uganda
BR	Brazil	IS	Iceland	MW	Malawi	US	United States of America
BY	Belarus	IT	Italy	MX	Mexico	UZ	Uzbekistan
CA	Canada		•	NE	Niger	VN	Viet Nam
CF	Central African Republic	JP	Japan	NL	Netherlands	YU	Yugoslavia
CG	Congo	KE	Кепуа			zw	Zimbabwe
CH	Switzerland	KĢ	Kyrgyzstan	NO	Norway		
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
cz	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
	Denmark	LK	Sri Lanka	SE	Sweden		
DK		LR	Liberia	SG	Singapore		
EE	Estonia	J.(	********				

- 1 -

# HAIR STYLING COMPOSITION

#### Field of the Invention

5

The present invention relates to hair styling compositions, for example creams, gels and especially aerosol hair styling mousse compositions, which contain cross-linked silicone and which deliver excellent styling as well as sensory feel.

10

TITLE THE MILE TO THE TENTE TO

# Background and Prior Art

Style creation products such as hair styling mousses provide human hair with a temporary set which can be removed by

15 water or by shampooing, and function by applying a thin film of a resin or gum onto the hair to adhere adjacent hairs together so that they retain the particular shape or configuration at the time of application.

EP 818 190 describes how an emulsion polymerised silicone material having a particular, defined level of crosslinking, and which is cross-linked in emulsion form can be incorporated into a hair styling composition, such as a mousse, gel or cream, to give a formulation which delivers excellent style creation and longevity, whilst leaving the hair soft and natural. An important feature of these systems is the phase behaviour of the silicone, which is said to form a separate high viscosity aggregated phase in the composition. This phase behaviour is considered to be key to effective style creation.

A problem with "aggregating" systems as described in EP 818 190 is that they can tend to gel and form lumps under conditions of prolonged, high temperature storage.

Surprisingly, it has now been found that by the use of certain nonionic surfactants of specified HLB value, the silicone materials as described in EP 818 190 may be formulated into systems which do not form a separate high viscosity aggregated phase and yet nevertheless deliver effective style creation.

# SUMMARY OF THE INVENTION

The present invention provides a hair styling composition comprising:

- (i) from 0.1% to 10% by weight, based on total weight, of a non-rigid emulsion polymerised cross-linked silicone polymer, in which the percentage of branched monomer units in the silicone polymer is from 0.05% to 10%;
- 25 (iii) from 0.01% to 5% by weight, based on total weight, of a nonionic surfactant having an HLB value of at least 14.5.
  - (iv) water; and

20

30

(v) from 0% to 30% by weight, based on total weight, of an aerosol propellant.

- 3 -

#### DETAILED DESCRIPTION

#### Cross-linked Silicone Polymer

The non-rigid emulsion-polymerised cross-linked silicone polymer (i) is present in compositions of the invention in an amount from 0.1% to 10% by weight based on the total weight of the composition, more preferably from 0.2% to 6% by weight, most preferably from 0.5 to 5% by weight.

10

15

Preferred silicone polymers for use in the invention are polydiorganosiloxanes, preferably derived from suitable combinations of  $R_3SiO_{0.5}$  units and  $R_2SiO$  units where each R independently represents an alkyl, alkenyl (e.g., vinyl), alkaryl, aralkyl, or aryl (e.g. phenyl) group. R is most preferably methyl.

The preferred silicone polymers of the invention are crosslinked polydimethyl siloxanes (which have the CTFA 20 designation dimethicone), and cross-linked polydimethyl siloxanes having end groups such as hydroxyl (which have the CTFA designation dimethiconol). Good results have been obtained with cross-linked dimethiconol.

25 Cross linking of the silicone polymer is typically introduced concurrently during emulsion polymerisation of the polymer through the inclusion of the required amount of trifunctional and tetrafunctional silane monomer units, for example, those of formula:

R Si  $(OH)_3$  wherein R represents an alkyl, alkenyl (e.g. vinyl), alkaryl, aralkyl or aryl (e.g. phenyl) group, preferably methyl.

The degree of cross-linking of the silicone polymer can be measured as the percentage of branched monomer units in the silicone polymer and is from 0.05% to 10%, preferably being in the range 0.15% to 7%, e.g. from 0.2% to 2%. Increasing cross-linking is found to improve styling benefits but also to reduce conditioning performance somewhat, so compromise levels must be selected with properties optimised to suit consumer preferences in different cases. Good overall performance has been obtained with dimethiconol 0.3% cross-linked.

Suitable emulsion polymerised cross-linked silicone polymers are commercially available or can be readily made using conventional techniques well known to those skilled in the art.

20

25

30

### Hair Styling Polymer

The hair styling polymer (ii) employed in compositions of the present invention should be capable of forming a film and holding the hair of the user in place.

Hair styling polymers are well known articles of commerce and many such polymers are available commercially which contain functional groups which render the polymers cationic, anionic, amphoteric or nonionic in character.

Examples of cationic hair styling polymers are copolymers of amino-functional acrylate monomers such as lower

alkylaminoalkyl acrylate or methacrylate monomers such as dimethylaminoethyl methacrylate with compatible monomers such N-vinylpyrrolidone, vinyl caprolactam, or alkyl methacrylates such as methyl methacrylate and ethyl methacrylate and alkyl acrylates such as ethyl acrylate and n-butyl acrylate. Cationic hair styling polymers containing N-vinylpyrrolidone are commercially available from ISP Corporation such as those sold under the trademarks of Copolymer 845 and Copolymer 937 (copolymers of Nvinylpyrrolidone and t-butylaminoethyl methacrylate of 10 average molecular weight about 1,000,000) and Gafquat® 734, 755 and 755N (quaternary ammonium polymers formed by the reaction of diethyl sulfate and a copolymer of Nvinylpyrrolidone and dimethylaminoethyl methacrylate and having the CTFA designation Polyquaternium-11). 15

Examples of anionic hair styling polymers are the copolymers of vinyl acetate and crotonic acid, terpolymers of vinyl acetate, crotonic acid and a vinyl ester of an alphabranched saturated aliphatic monocarboxylic acid such as 20 vinyl neodecanoate; copolymers of methyl vinyl ether and maleic anhydride (molar ratio about 1:1) wherein such copolymers are 50% esterified with a saturated alcohol containing from 1 to 4 carbon atoms such as ethanol or butanol; and acrylic copolymers, terpolymers, etc., 25 containing acrylic acid or methacrylic acid as the anionic radical-containing moiety and esters of acrylic or methacrylic acid with one or more saturated alcohols having from 1 to 22 carbon atoms such as methyl methacrylate, ethyl acrylate, ethyl acrylate, ethyl methacrylate, n-butyl 30 acrylate, t-butyl acrylate, n-butyl acrylate, t-butyl methacrylate, n-butyl methacrylate, n-hexyl acrylate, noctyl acrylate, lauryl methacrylate and behenyl acrylate,

25

30

glycols having from 1 to 6 carbon atoms such as
hydroxypropyl methacrylate and hydroxyethyl acrylate,
styrene, vinyl caprolactam, vinyl acetate, acrylamide, alkyl
acrylamides and methacrylamides having 1 to 8 carbon atoms
in the alkyl group such as methacrylamide, t-butyl
acrylamide and n-octyl acrylamide, and other compatible
unsaturated monomers. One specific example is the emulsion
polymerised terpolymer of methacrylic acid, n-butyl acrylate
and ethyl acrylate (e.g., in a weight percent ratio of
31:42:27, respectively). Another specific example is the
Gantrez® ES series commercially available from ISP
corporation (esterified copolymers of methyl vinyl ether and
maleic anhydride).

Examples of amphoteric hair styling polymers are those which contain cationic groups derived from monomers such as t-butyl aminoethyl methacrylate as well as carboxyl groups derived from monomers such as acrylic acid or methacrylic acid. One specific example of an amphoteric hair styling polymer is Amphomer® sold by the National Starch and Chemical Corporation.

Examples of nonionic hair styling polymers are homopolymers of N-vinylpyrrolidone and copolymers of N-vinylpyrrolidone with compatible nonionic monomers such as vinyl acetate and terpolymers of ethyl acrylate, butyl methacrylate and methyl methacrylate. Nonionic polymers containing N-vinylpyrrolidone in various weight average molecular weights are available commercially from ISP Corporation such as homopolymers of N-vinylpyrrolidone having an average molecular weight of about 630,000 sold by ISP Corporation under the tradename PVP K-90 and those having an average

- 7 -

molecular weight of about 1,000,000 sold under the tradename PVP K-120.

The hair styling polymers in compositions of the invention are most preferably selected from one or more ionic-type, i.e. cationic and/or anionic, hair styling polymers. Hair styling polymers selected from amphoteric and/or nonionic hair styling polymers may suitably be used in conjunction with these ionic-type hair styling polymers, to improve, for example, hair styling benefit.

Particularly preferred hair styling polymers in compositions of the invention are those ionic-type hair styling polymers selected from Polyquaternium-16, Polyquaternium 11, and esterified copolymers of methyl vinyl ether and maleic anhydride, optionally in combination with one or more nonionic hair styling polymers. Such nonionic hair styling polymers are preferably selected from vinylpyrrolidone homopolymers and especially copolymers of vinylpyrrolidone and vinyl acetate.

#### Nonionic Surfactant

5

10

15

20

30

In addition to the cross-linked silicone polymer and the
hair styling polymer, the hair styling composition of the
invention also includes a nonionic surfactant (iii) in an
amount ranging from 0.01% to 5%, preferably from 0.01% to
1%, most preferably from 0.02% to 0.8% by weight based on
total weight.

The HLB (hydrophilic-lipophilic balance) is an important property of the nonionic surfactant (iii). The property per se and how it is calculated is described in

- 8 -

J.Soc.cosmet.Chem.,1949,1,311. For a given nonionic surfactant, the HLB value represents the weight per cent of the hydrophilic content of the molecule divided by a factor of five.

5

Nonionic surfactants for use in compositions of the invention have an HLB (hydrophilic - lipophilic balance) value of at least 14.5. The HLB value preferably ranges from 15 to 19, most preferably from 16 to 18.

10

15

20

25

Examples of suitable nonionic surfactants are condensation products of aliphatic  $(C_8\text{-}C_{18})$  primary or secondary linear or branched chain alcohols or phenols with alkylene oxides, usually ethylene oxide and generally having at least 15, preferably at least 20, most preferably from 30 to 50 ethylene oxide groups. Other suitable nonionics include esters of sorbitol, esters of sorbitan anhydrides, esters of propylene glycol, fatty acid esters of polyethylene glycol, fatty acid esters of polypropylene glycol, ethoxylated esters and polyoxyethylene fatty ether phosphates.

Of particular use are those nonionic surfactants of general formula R(EO) x H, where R represents a straight or branched chain alkyl group having an average carbon chain length of 12-18 carbon atoms and x ranges from 30 to 50. Specific examples include steareth-40, steareth-50, ceteareth-30, ceteareth-40, ceteareth-50 and mixtures thereof. Suitable commercially available examples of these materials include Unicol SA-40 (Universal Preserv-A-Chem), Empilan KM50 (Albright and Wilson), NONION PS-250 (Nippon Oils & Fats), Volpo CS50 (Croda Inc), and Incropol CS-50 (Croda Inc).

15

20

25

As some of the above-described nonionic surfactants form particularly stable foams, it may be preferable, depending on product form, to include anti-foam ingredients to reduce foaming to provide a foam stability preferred by the consumer. For example, in the case of hair styling mousse product forms, consumers generally prefer that the foam generated collapses after less than five minutes after discharge, for ease of spreading on the hair.

The invention accordingly provides, in a further aspect, a hair styling mousse incorporating an anti-foam ingredient.

By "anti-foam ingredient" is meant an agent which inhibits the build up of foam, or which reduces foam or entrapped air by causing the bubbles to burst, thus releasing the air.

Most commercial anti-foam ingredients are mixtures of, inter alia, surface-active agents, hydrocarbons, alcohols, and polymers, to increase their effectiveness in multiple applications. Examples of anti-foaming agents suitable for personal care applications include bisphenylhexamethicone, dimethicone fluid, dimethiconol fluid, hexamethyldisiloxane, hexyl alcohol, isopropyl alcohol, petroleum distillates, phenethyl disiloxane, phenyl trimethicone, Polysilicone-7, propyl alcohol, silica dimethyl silylate, silica silylate, tetramethyl decynediol, trimethylsiloxysilicate, and mixtures thereof.

The selection of a suitable anti-foam ingredient will depend on the particular composition of the hair styling mousse 30 concerned. In the case of hair styling mousses containing cross-linked silicones and nonionic surfactants as described above, it appears that silicone derived anti-foam ingredients are the most effective, especially those which

- 10 -

do not contain too many hydrophilic groups, making them less effective, or too many hydrophobic groups making them poorly soluble. Typical levels would be 0.01% to 0.4%, ideally 0.04% to 0.2% although other levels may be suitable depending on type. Examples are the materials SL, SR, S575 and S369 from Wacker and MSA Compound from Dow Corning.

#### Water

Compositions of the present invention will also include water, preferably distilled or deionised, as a solvent or carrier for the polymers and other components. Water will typically be present in amounts ranging from 30% to 98%, preferably from 60% to 95% by weight based on total weight.

Alcohol may optionally be employed as a co-solvent in compositions of the invention as this can enhance the performance of the styling composition. A suitable alcohol is an aliphatic straight or branched chain monohydric alcohol having 2 to about 4 carbon atoms. Isopropanol and especially ethanol are preferred. A suitable level for the alcohol is up to 20%, preferably from 5% to 15%, by weight based on total weight.

#### 25 Product Form

30

Compositions of the invention may suitably be in aerosol form. A particularly preferred product form is an aerosol hair mousse. Aerosol hair mousse compositions are emitted from the aerosol container as a foam which is then typically worked through the hair with fingers or a hair styling tool and either left on the hair or rinsed out.

- 11 -

WO 00/21493

10

25

30

Aerosol-form compositions of the invention will include an aerosol propellant (v) which serves to expel the other materials from the container, and forms the mousse character in mousse compositions. The aerosol propellant included in styling compositions of the present invention can be any liquefiable gas conventionally used for aerosol containers. Examples of suitable propellants include dimethyl ether and hydrocarbon propellants such as propane, n-butane and isobutane. The propellants may be used singly or admixed. Water insoluble propellants, especially hydrocarbons, are preferred because they form emulsion droplets on agitation and create suitable mousse foam densities.

The amount of the propellant used is governed by normal factors well known in the aerosol art. For mousses the level of propellant is generally up to 30%, preferably from 2% to 30%, most preferably from 3% to 15% by weight based on total weight of the composition. If a propellant such as dimethyl ether includes a vapour pressure suppressant (e.g. trichloroethane or dichloromethane), for weight percentage calculations, the amount of suppressant is included as part of the propellant.

The method of preparing aerosol hair styling mousse compositions according to the invention follows conventional aerosol filling procedures. The composition ingredients (not including the propellant) are charged into a suitable pressurisable container which is sealed and then charged with the propellant according to conventional techniques.

Compositions of the invention may also take a non-foaming product form, such as a hair styling cream or gel. Such a cream or gel will include a structurant or thickener,

typically at a level of from 0.1% to 10%, preferably 0.5% to 3% by weight based on total weight.

Examples of suitable structurants or thickeners are 5 polymeric thickeners such as carboxyvinyl polymers. A carboxyvinyl polymer is an interpolymer of a monomeric mixture comprising a monomeric olefinically unsaturated carboxylic acid, and from about 0.01% to about 10% by weight of the total monomers of a polyether of a polyhydric alcohol. Carboxyvinyl polymers are substantially insoluble 10 in liquid, volatile organic hydrocarbons and are dimensionally stable on exposure to air. Suitably the molecular weight of the carboxyvinyl polymer is at least 750,000, preferably at least 1,250,000, most preferably at least 3,000,000. Preferred carboxyvinyl polymers are 15 copolymers of acrylic acid cross-linked with polyallylsucrose as described in US Patent 2,798,053. These polymers are provided by B.F.Goodrich Company as, for example, CARBOPOL 934, 940, 941 and 980. Other materials that can also be used as structurants or thickeners include

that can also be used as structurants or thickeners include those that can impart a gel-like viscosity to the composition, such as water soluble or colloidally water soluble polymers like cellulose ethers (e.g. methylcellulose, hydroxyethylcellulose,

hydroxypropylmethylcellulose and carboxymethylcellulose),
guar gum, sodium alginate, gum arabic, xanthan gum,
polyvinyl alcohol, polyvinyl pyrrolidone, hydroxypropyl guar
gum, starch and starch derivatives, and other thickeners,
viscosity modifiers, gelling agents, etc. It is also
possible to use inorganic thickeners such as bentonite or

laponite clays.

The hair styling compositions of the invention can contain a variety of nonessential, optional components suitable for rendering the compositions more aesthetically acceptable or to aid use, including discharge from the container, of the product. Such conventional optional ingredients are well known to those skilled in the art, e.g. preservatives such as benzyl alcohol, methyl paraben, propyl paraben and imidazolidinyl urea, fatty alcohols such as cetearyl alcohol, cetyl alcohol and stearyl alcohol, pH adjusting agents such as citric acid, succinic acid, sodium hydroxide and triethanolamine, colouring agents such as any of the FD&C or D&C dyes, perfume oils, chelating agents such as ethylenediamine tetraacetic acid, and polymer plasticising agents such as glycerin and propylene glycol.

15

10

The invention also provides a method of styling hair by applying thereto a styling composition as is hereinabove described.

The following Examples further illustrate the preferred embodiments of the invention. All percentages referred to are by weight based on total weight unless otherwise indicated.

#### 25 Examples

The following Examples illustrate hair styling compositions according to the invention:

#### 30 Example 1

3% Polyquaternium 11 (added as HC Polymer 3A ex Osaka Organic)

```
3% Crosslinked silicone*
    8% ethanol
    0.3% Steareth-50 (added as NONION PS-2500, ex Nippon Oils &
   8% LPG 3 (ex Taiyo Ekika Gas)
    water, minors to 100%
    Example 2
10
    1% Polyquaternium 11 (added as Luviquat PQ11 ex BASF)
    3% Crosslinked silicone*
    8% ethanol
    0.3% Ceteareth-50 (added as Volpo CS-50, ex Croda Inc.)
   0.05% MSA Cmpd (ex Dow Corning)
15
    8% Cap 40 (ex Calor Gas)
    water, minors to 100%
    Example 3
20
    2% Polyquaternium 16 (added as Luviquat FC 550 ex BASF)
    2% crosslinked silicone*
    8% ethanol
    0.3% Steareth-20 (added as Hetoxol STA-20 ex Heterene)
   8% Cap 40 (ex Calor Gas)
25
    water, minors to 100%
```

[\* Emulsion polymerised dimethiconol containing 0.6% cross-linking, 55% aqueous emulsion, ex Dow Corning]

#### CLAIMS

- A hair styling composition comprising:
- from 0.1% to 10% by weight, based on total weight, of a non-rigid emulsion polymerised cross-linked silicone polymer, in which the percentage of branched monomer units in the silicone polymer is from 0.05% to 10%;
- (ii) from 0.1% to 10% by weight, based on total
   weight, of a hair styling polymer;
- (iii) from 0.01% to 5% by weight, based on total

  weight, of a nonionic surfactant having an HLB

  value of at least 14.5;
  - (iv) water; and
- 20 (v) from 0% to 30% by weight, based on total weight, of an aerosol propellant.
- A hair styling composition according to claim 1, in which the cross-linked silicone polymer (i) is a cross-linked dimethiconol, having a percentage of branched monomer units in the silicone polymer in the range 0.15% to 7%.
- 3. A hair styling composition according to claim 1 or 2,
  in which the hair styling polymer (ii) is an ionic-type
  hair styling polymer selected from Polyquaternium 11,
  Polyquaternium 16, Polyquaternium 46, and salts of

monoalkyl esters of poly(methyl vinyl ether/maleic acid).

- 4. A hair styling composition according to any of claims 1 to 3 in which the nonionic surfactant (iii) has an HLB value in the range of 14.5 to 20, more preferably 15 to 19 and most preferably 16 to 18.
- 5. A hair styling composition according to any of claims 1 to 4 in which the nonionic surfactant (iii) has the general formula R(EO)x H, where R represents a straight or branched chain alkyl group having an average carbon chain length of 12-18 carbon atoms and x ranges from 30 to 50.

15

6. A hair styling composition according to any one of claims 1 to 5, which further comprises an alcohol selected from straight or branched chain monohydric alcohols having 2 to about 4 carbon atoms.

- 7. A hair styling composition according to any one of claims 1 to 6, which further comprises a silicone derived anti-foam ingredient.
- 25 8. A hair styling composition according to any of claims 1 to 7 which is an aerosol hair mousse in which the level of propellant (v) is from 2% to 30% by weight, based on total weight.

9. A hair styling composition according to claim 8 in which the propellant (v) is a hydrocarbon propellant selected from propane, n-butane, isobutane and mixtures thereof.

5

10. A hair styling composition according to any one of claims 1 to 7, which is a hair styling cream or gel including from 0.1% to 10% by weight based on total weight of a structurant or thickener.

- 11. A hair styling mousse incorporating an anti-foam ingredient.
- 12. A hair styling mousse according to claim 11, in which the anti-foam ingredient is silicone-derived.

# INTERNATIONAL SEARCH REPORT

PCT/EP 99/07427

A. CLASS IPC 7	SIFICATION OF SUBJECT MATTER A61K7/06			
According	to International Patent Classification (IPC) or to both national classif	ication and IPC		
	SEARCHED			
Minimum d IPC 7	ocumentation searched (classification system followed by classification $A61K$	ation symbols)		
Documenta	tion searched other than minimum documentation to the extent that	such documents are included in the fields so	parched	
Electronic	usta base consulted during the international search (name of data b	ase and, where practical search terms used		
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT			
Category .	Clation of document, with indication, where appropriate, of the re	elevant passages	Relevant to claim No.	
X	EP 0 818 190 A (UNILEVER PLC, UN N.V.) 14 January 1998 (1998-01-1 cited in the application examples 4,6,7		1	
Α	WO 98 13011 A (UNILEVER PLC, UNI N.V.) 2 April 1998 (1998-04-02)	1		
A	WO 96 31188 A (UNILEVER PLC, UNI N.V.) 10 October 1996 (1996-10-1	1		
A	EP 0 445 982 A (DOW CORNING CORP 11 September 1991 (1991-09-11)	.)	1	
	 ·			
Furth	er documents are listed in the continuation of box C.	X Patent family members are listed in	n annex.	
* Special categories of cited documents:  "A" document defining the general state of the art which is not considered to be of particular relevance.  "E" earlier document but published on or after the international filling date.  "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified).  "O" document reterring to an oral disclosure, use, exhibition or other means.  "P" document published prior to the international filling date but later than the priority date claimed.		"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  "&" document member of the same patent family		
	ctual completion of the international search	Date of mailing of the international seal		
	January 2000	14/01/2000		
Name and ma	European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer		
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Glikman, J-F		

#### INTERNATIONAL SEARCH REPORT

information on patent family members

PCT/EP 99/07427

Patent document cited in search repor	t	Publication date		Patent lamily member(s)	Publication date
EP 818190	Α	14-01-1998	JP	10101535 A	21-04-1998
WO 9813011	A	02-04-1998	AU	4623997 A	17-04-1998
			EP	0952810 A	03-11-1999
			US	59900 <b>5</b> 9 A	23-11-1999
WO 9631188	 A	10-10-1996	AU	695227 B	06-08-1998
NO 3001100	••		AU	5499896 A	23-10-1996
			BR	9604872 A	26-05-1998
			CA	2215751 A	10-10-1996
			CN	1185728 A	24-06-1998
			ĒΡ	0820266 A	28-01-1998
			JP	10511099 T	27-10-1998
			us	5776444 A	07-07-1998
EP 445982	A	11-09-1991	US	5049377 A	17-09-1991
2			CA	2036444 A	03-09-1991
			DE	69101069 D	10-03-1994
			DE	69101069 T	11-08-1994
			JP	5092912 A	16-04-1993

Form PCT/ISA/210 (patent family annex) (July 1992)